EVOLUTION

INTERNATIONAL JOURNAL OF ORGANIC EVOLUTION

ZOOLOGY - BOTANY
LIBRARY
COLUMBIA UNIVERSITY

Volume VII, 1953

Published Quarterly

At Prince and Lemon Streets, Lancaster, Pa.

By the

Society for the Study of Evolution

TABLE OF CONTENTS

NUMBER 1, MARCH

Evolution in the Genus *Clarkia*. HARLAN LEWIS 1

Comparative Evolution with Special Reference to Primitive Mechanisms. ALAN A. BOYDEN 21

Evolutionary Patterns of Antigenic Substances of the Blood Corpuscles in Columbidae. M. R. IRWIN 31

The Rate of Hybridization in the Evolution of the Leafy-Stemmed Gilias. VERNE GRANT 51

Crossing and Sexual Isolation of Egyptian Forms of *Musca domestica* (Diptera, Muscidae). ROBERT L. PEFFLY 65

Geography, Ecology and Coexistence in Relation to the Biological Definition of the Species. AURTHUR J. CAIN 76

Notes and Comments

The Use of the Binomial Expansion for a Classroom Demonstration of Drift in Small Populations. VERL L. HOUSE 84

On the Chromosomes of the Hog-nosed Snake, *Heterodon platyrhinos*, Linnaeus. RICHARD A. EDGREN 88

Explosive Evolution. EDWIN H. COLBERT 89

Heterosis and Evolution. G. L. STEBBINS 90

Evolution and Drosophila. THEODOSIUS DOBZHANSKY 94

Report of the Secretary for 1952. THEODOR JUST 94

NUMBER 2, JUNE

Gene Frequency Changes in Small Laboratory Populations of *Drosophila melanogaster*. DAVID J. MERRELL 95

Chromosome Phylogeny and Habitat Preference of *Clarkia*. HARLAN LEWIS . 102

The Baldwin Effect. GEORGE GAYLORD SIMPSON 110

Genetic Assimilation of an Acquired Character. C. H. WADDINGTON 118

Atypical Forms of the Wingless Worker and the Winged Female in *Monomorium pharannis*. D. W. HALL and I. C. SMITH 127

Experimental Background to the Study of the Distribution and Abundance of Insects. III, The relation between innate capacity for increase and survival of different species of beetles living together on the same food. L. C. BIRCH 136

On the Origin and Composition of the Nearctic Insect Fauna. HERBERT H. ROSS 145

Evolution of the Mammalian Ear. D. M. S. WATSON 159

Notes and Comments

The Chronofauna and Quantum Evolution. JAMES R. BEERBOWER 178

Comment on "How Many Species." GEORGE C. STEYSKAL 179

Cave Fish Evolution. CHARLES M. BREDER 179

Review of "Principles of Organic Evolution." GLENN JEPSEN 181

Review of "Invertebrate Fossils" and "Principles of Invertebrate Paleontology." NORMAN D. NEWELL 183

MAR 12 1954

NUMBER 3, SEPTEMBER

Studies on the Laboratory Populations of *Drosophila virilis*. CHOZO OSHIMA . 187
Indeterminate Outcome of Certain Experiments on *Drosophila* Populations. THEODOSIUS DOBZHANSKY and OLGA PAVLOVSKY 198
The Organism and Its Origin. KENNETH M. MADISON 211
Selection by Predation on Albino and Normal Spadefoot Toads. HENRY E. CHILDS, JR. 228
Chromosomal Translocations in Interspecific Hybrids of the Genus *Gossypium*. D. U. GERSTEL 234
Present Distribution and Habitats of the Conifers and Taxads. HUI LIN LI .. 245
Origin of Variation in the Imported Fire Ant. EDWARD O. WILSON 262
Notes and Comments
Pricking a Bubble. R. B. GOLDSCHMIDT 264
The Strongylocentrotidae (Echinoidea) of the North East Pacific. EMERY F. SWAN 269
Notes and Comments on Evolutionary Literature. ERNST MAYR 273
Plant Phylogeny and Evolution. G. L. STEBBINS 281
A First Reader in Evolution. RALPH G. JOHNSON 284

NUMBER 4, DECEMBER

Selective Mating as a Cause of Gene Frequency Changes in Laboratory Populations of *Drosophila melanogaster*. DAVID J. MERRELL 287
Comparative Growth between and within Climatic Races of Achillea under Controlled Conditions. WILLIAM M. HIESEY 297
Biosystematic Studies in *Aster*, II: Isolating Mechanisms and Some Phylogenetic Considerations. CHARLOTTE J. AVERS 317
Egg Size in Arctic, Antarctic and Deep-Sea Fishes. N. B. MARSHALL 328
On the Role of Inversion in Wild Populations of *Drosophila pseudoobscura*. CARL EPLING, DONALD F. MITCHELL and R. H. T. MATTONI 342
The Interaction of Nucleus and Cytoplasm in the Isolation and Evolution of Species of *Paramecium*. MYRON LEVINE 366
Notes and Comments
The "Baldwin Effect," "Genetic Assimilation" and "Homeostasis." C. H. WADDINGTON 386
Comment on the Origin of Sex and of Meiosis. EDWARD O. DODSON 387
The Sex Chromosome of the Honey Bee. F. J. MANNING 388
The Evolution of Mating Behavior Patterns. N. TINBERGEN 391
Comment on "Cave Fish Evolution." M. J. HEUTS 391

INDEX TO VOLUME VII, 1953

Achillea, growth in races, 297–316
adaptation, 111
adaptive, value of structural heterozygotes, 199–210; value of skin color in toads, 228–233
agamospecies, 82
Agapetini, distribution of, 147–148
albinoism, selection against, 228–233
allopatry, 77–78
Angiosperms, reticulate taxonomic structure, 62–63
Anoptichthys jordani Hubbs and Innes, 180
antarctic fish, egg size, 228–341
antigenic substances, in Columbidae, 31–50; characters, Columbidae, 33–39
Araucariacea, map of present distribution, 248
arctic fish, egg size, 328–329
assimilation, genetic, 118–126; 386–387
Aster, isolating mechanisms, 317–327; phylogenetic consideration, 325–326 (fig.); species and cytology, 317–323
Atopsyche, phyogenetic dispersal, 153 (fig.)
Avers, C. J., 317–327
Baldwin (historical footnote), 110
Baldwin effect, 110–117; 386–387
Beerbower, J. R. (note), 178
binomial expansion, for demonstration of drift in small populations, 84–88
biospecies, 82
biosystematics in *Aster*, 317–327
Birch, L. C., 136–144
Boyden, A. A., 31–30; (com. on), 387
Breder, C. M. (note), 179–181; buffering, of development, 386
Caecobarbus geertsii Boulenger, 179; 391
Cain, A. J., 76–83
Calandra oryzae L., 136–144
canalization, of development, 125, 126; 386
Captorhinus, 163, 165
caste, determination in Formicidae, 134, 135
cave fish evolution (rev.), 179–181; (com.), 391–392
Cephalotaxacea, map of present distribution, 246
Chelonia, 160
Childs, H. E. Jr., 228–233
chromosomes numbers in *Clarkia*, 8; hog nosed snake, 88; phylogeny in *Clarkia*, 102–109; non-disjunction in hybrids, 188–189; mixtures of structural variants, 198–210; equilibria of types, 199; translocations in cotton hybrids, 234–244; numbers in *Aster* 317
Clarkia, mechanism of evolution, 1–20; ecology and breeding habit 1–4; variation 4–14; differences between colonies 8–11; fertility relationships, 10 (fig.); relationships between species 11–14; pattern of evolution, 17–18; distribution, 102–109 (figs.); habitat preference, 102–109; phylogeny, chromosome 102–109
classification, conifers and taxads, 245–246
climate, distribution of conifers and taxads, 259–260
climatic races, *Achillea*, 297–316
clones, 113–114; in *Achillea*, 310–312 (fig.); in *Paramecium*, 369, 372–375
coenospecies, 79–80
coexistence, in relation to biological definition of species, 76–83
Colbert, E. H. (rev.), 89–90
coloration, adaptive, 228–233
Columbidae, antigenic substances in blood corpuscles, 31–50
competition, in laboratory population of *Drosophila*, 193–197; in *D. melanogaster*, 288–294
conifers, present distribution and habitats, 245–261
continental drift, 259–260
cotton, chromosomal translocations, 234–244; phylogeny, 241–242
crossing, *Musca domestica*, 65–75
crossveinless, *Drosophila*, 118–126
Culex, male genitalia in *Culex pipiens*, 150; phylogenetic dispersal, 151
Cupressaceae, map of present distribution, 251
cybernetic mechanisms, 124–125
Cynips, 149–150
cynodonts, 172–173
cytology, in *Aster*, 317–323; in *Paramecium*, 366–367; in the honey bee, 388
deep sea fish, egg size, 329–331
Dimetrodon, 160, 163, 164 (fig.), 165, 167, 168 (fig.), 171
diploid, evolution of level in *Clarkia*, 14; species in *Aster*, 317–320
Diptera, muscidae, 65–75
distribution, insects, 136–144; conifers and taxads, 245–261; correlation with habitat, 257
Dobzhansky, T. (rev.), 92–93; 198–210
Dodson, E. O. (note), 387–388
Drosophila, evolution in (rev.), 92–93; mating behavior patterns (com.), 391
Drosophila americana, hybrids with *D. virilis*, 187–197
Drosophila melanogaster, gene frequency, 95–101; 293; selective mating, 295
Drosophila pseudoobscura, hybridization of geographic strains, 198–210; inversions in wild populations, 342–365
Drosophila virilis, studies on laboratory populations, 187–197; hybrids with *D. americana*, 187–197
Dubinin, N. P. (rev.), 264–269
echinoids, hybridization, 269–273
ecological races, in *Achillea*, 300–310 (figs.)
ecology, relation to biological definition of species, 76–83; *Achillea*, 297–316; relationship to egg size in fish, 332–338; and inversion in *Drosophila pseudoobscura*, 342–365
ecospecies, 79–80

ecosystems, 178
ecotypes, 79–80
Edgren, R. A., 88
egg size, in Arctic, Antarctic, and deep sea fish, 328–341
Epling C., 342–365
ergatandromorphs, 127
Eryops, 162
Erythroneura, phylogenetic distribution, 148 (fig.)
Euaster, 317
Euplotes, 113–114
evolution, comparative, 21–30; in leafy-stemmed Gilias, 51–63; explosive (rev.), 89–90; in *Drosophila* (rev.), 92–93; biochemical, 211–227; plant (rev.), 283–284; text (rev.), 284–285.
evolutionary literature (com.), 273–281
explosive evolution (rev.), 89–90
extinction, in laboratory populations of *Drosophila*, 190–197
fire ant, origin of a variation, 262–263
frequency of inversion, *Drosophila pseudoobscura*, 342–365
gene frequency, changes, in *Drosophila melanogaster*, 95–101; in *D. melanogaster*, 287–296
gene ratios, homeostasis of, 386–387
genetic assimilation, of acquired character, 118–126; 386–387
genetic drift, 95
genocopies, 112
genomes, 102–103
genotype, 118
geographic distribution, of *Clarkia*, 104–107 (4 figs.); of *Aster*, 318 (fig.)
Gerstel, D. V., 234–244
Gilias, leafy-stemmed, 51–64; *tricolor* group, 51; *capitata* group, 51–52; *laciniata* group, 52 (2 figs.); variation pattern, 52–55; geographical distribution, 54 (fig.); evidences of hybridization, 55; original species, 58–60
glaciation, effects on insect dispersal, 157
Godetia, 1
Goldschmidt, R. B. (rev.), 264–269
Gomphognathus sp., *Cynognathus* zone, right lower jaw, 170 (fig.); skull and jaw, 170 (fig.); skull and jaw (fig.), 172
Gorgonopsia, 164 (fig.)
Gossypium, translocations in hybrids, 234–244
Grant, V., 51–64
growth curves, discussion, 180
growth, comparative in races of *Achillea*, 297–316 (4 figs.); in cavefish, rates, 391–392
habitat, and distribution of conifers and taxads, 245–261; stability and preservation of ancient plant distributions, 260
Hall, D. W., 127–135
Hardy-Weinberg law, 95
Heterodon platyrhinos, 88
Heterophylli, phylogenetic pattern, 325 (fig.)
heterosis, and evolution (com.), 90–92; in *Drosophila*, 199, 203
Heut, M. J. (rev.), 179–180; (com.), 391–392
Hiesey, W., 297–316
Holarctic, complexes of insects, 155–156
homeostasis, 386–387
honey bee, sex chromosome, 388–390 (2 figs.)
House, V., 84–88
hybridization, in leafy-stemmed Gilias, 51–64; in laboratory populations, *Drosophila*, 187–197; and competition, 190–197; of geographic strains of *D. pseudoobscura*, 198–210; of echinoids, 269–273
hybrids, in *Clarkia*, 13, 14; ring doves, 31, introgressive, in Gilias, 57; complex in Gilias, 60–62; between *Drosophila* populations, 187–197; of cotton, 234–244; in *Paramecium*, 366–385
interaction, organism vs. environment, 110
interbreeding, effect on taxonomic characters in strains of *Musca domestica*, 66–68; strains of *vicinia* and *domestica* (*Musca*), 72
interspecific hybridization, *Clarkia*, 16
intervarietal crosses, in *Paramecium*, 370–385
inversions, *Drosophila pseudoobscura*, 342–365
invertebrate fossils (rev.), 183–185
Irwin, M. R., 31–50
isolating mechanisms, in *Aster*, 317–327
isolation, between ecotypes, 79; reproductive in *Drosophila*, 187
Jepsen, G. L. (rev.), 181–183
Johnson, R. G. (rev.), 284–285
Just, T., 94
Lamarckism, 181, 182, 183; 110–115
Leptothorax emersoni Wheeler, 131
Levine, M., 366–385
Lewis, H., 1–20; 102–109
Li, H., 245–261
life, origin of, 215–227; definition of, 211, 213
Lindsey, A. W. (rev.), 181–183
macroevolution, 178
macronucleus, in *Paramecium*, 366–367, 369
Madison, K. M., 211–227
mammal-like reptiles, occipital area, 164 (fig.)
mammalian ear, evolution of, 159–177
Manning, J. (note), 388–390
Marshall, N. B., 328–341
mathematical models, 143–144
mating behavior patterns in *Drosophila* (com.), 391
Mattoni, R. H. T., 342–366
Mayr, E. (com.), 273–281
Meckel's cartilage, 159–161
Mendelism, 111
Merrell, D. J., 95–101; 287–296
Michurinism, 111
Mitchell, D. F., 342–366
Monomorium pharaonis, 127–135
Monomorium rubiceps, 127
monophyletic, origin of life, 179
Moody, P. A. (rev.), 284–285
Moore, R. C. (rev.), 183–185
morphogenesis, plant and phylogeny (rev.), 283–284
morphological differences, *Clarkia*, 14
morphospecies, 82

Musca domestica, Egyptian forms, 65–75
Muscidae, 65–75
natural selection, in early life history of fish, 339
Nearctic, insect fauna, 145–158; termites, phylogenetic dispersal, 152
neo-Darwinism, 111
neo-Lamarckism, 110
Newel, N. D. (rev.), 183–185
normalizing selection, 386
nucleo-cytoplasmic incompatability, in *Paramecium*, 377–378
nucleus, in *Paramecium*, 366–385
octaploidspecies, in *Aster*, 323
Oenothera, 102
Onagraceae, 1
Ophiacodon, 163, 164 (fig.)
organic selection, definition, 111–112; evolution, principles of (rev.), 181–183
organism, concept of, 212–215
origin, of life, 215–227; of variation in fire ant, 262–263
Oshima, C., 187–197
paleoecology (insects), 145–158
paleospecies, 82
Paramecium, 114; interaction of nucleus and cytoplasm, isolation and evolution, 366–385
Patterson, J. T. and Stone, W. S. (rev.), 92–93
Pavlorsky, O., 198–210
Peffly, R. L., 65–75
Permocynodon, Cistecephalus zone, lower jaw, 170 (fig.)
phenocopies, 112; 124
phylogeny, in leafy-stemmed Gilias, 58–60 (fig.); chromosome in *Clarkia*, 102–109; of cotton, 241–242; plant (rev.), 281–284; in *Paramecium*, 384
plant phylogeny and evolution (rev.), 281–284
Podocarpaceae, map of present distribution, 247
Pogonomyrmex californicus, 127
Polemoniaceae, 51
population, growth (beetles), 140; genetics, 264–269
populations, drift in small, 84–88 (5 figs.); of *Drosophila* in laboratory, 187–197, 198–210; experimental with toads, 228–233
predation, and selection in toads, 228–233
primitive mechanisms, in evolution, 21–30
Principles of Invertebrate Paleontology (rev.), 183–185
Principles of Organic Evolution (rev.), 181–183
Protacmon, Cynognathus zone, right lower jaw, 170 (fig.)
quantum evolution, 178
races, *Achillea*, maritime, 300–301; interior valley, 301; high montane, 301–302 (2 figs.)
rate, of development and selection, 230
repeatability of genetical experiments, 198–210
replacement, of species, 77–78
reproductive isolation, mechanism, 187
report of secretary for 1952, 94
Rhinesuchus, 162
Rhizopertha dominica, 136–144
Ris, H. and Kerr, W. (note on), 388–390
Ross, H. H., 145–158
Saturniidae, phylogenetic dispersal, 154
Scaphiopus h. hammondii, 228–233
Schrock, R. R. and Twenhofel, W. H. (rev.), 183–184
selection, in laboratory populations of *Drosophila*, 96–98, 193–197, 203–210; for response to environmental stimulus, 118–119; and predation, 228–233; in *Drosophila*, 264–269
selective mating, in hybrid *Drosophila*, 192; in *Drosophila melanogaster*, 287–296
Sewell Wright effect, 178
Sex and meiosis, origin (com.), 387–388
sex chromosome, honey bee, 388–390 (2 figs.)
sexual isolation, *Musca domestica*, 65–75; tests of, 68–72
Simpson, G. G., 110–117; (com. on), 386–387
small populations, drift in, 84–87; effects of in *Drosophila melanogaster*, 98–100
Smith, I. C., 127–135
Solenopsis saevissima, 262–263
somation, 112
sound transmitting apparatus, bird-like reptile, amphibian, mammal-like reptile, mammal, 160 (fig.)
species, biological definition in relation to geography, ecology, and coexistence, 76–83; modified biological definition, 78; flocks, 149
spermatocyte, honey bee, 389–390 (2 figs.)
Sphenodon, ear, 160, 161
Spieth, H. T. (rev.), 391
stapes, 159, 165, 173
Stebbins, G. L. (rev.), 90–92; (rev.), 281–284
Steyskal, G. C. (com.), 179
Strongylocentrotus, hybrids, 269–273
structural heterozygosity, adaptive value, 199–210
Swan, E. F., 269–273
sympatry, 77–78
Taxaciae, map of present distribution, 246; taxads, present distribution and habitats, 245–261
Taxodiaceae, map of present distribution, 249
temperature responses, in Achillea, 304–314 (figs.)
termites, Nearctic, 152
Thrinaxodon, Lystrosaurus zone, lower jaw, 170 (fig.)
Tinbergen, N. (rev.), 391
toads, selection on by predation, 228–233
tympanic membrane, 159, 160; 165, 167; 173
variability, *Clarkia*, 5; physiological in *Achillea*, 314–315
variation, in *Clarkia*, 4–14; in leafy-stemmed Gilias, 52–56 (fig.); in fire ant, 262–263; in populations of *Achillea*, 310–312
varieties, *Paramecium*, 366–385
variability, of hybrid *Drosophila*, 187, 188: of *Paramecium*, 371–378
Waddington, C. H., 118–126; (note), 386–387
Wardlaw, C. W. (rev.), 283–284
Watson, D. M. S., 159–177
Wilson, E. O., 262–263